

Platform Scale : NEP SERIES



MAIN FEATURES :

- ◆ Bright Red LED display.
- ◆ Rugged construction with stainless steel platform.
- ◆ Heavy duty M.S. checkered plate for bigger platter sizes.
- ◆ Sturdy grill provided to support heavy loads.
- ◆ Angle Setter Assembly for indicator providing clear visibility.
- ◆ 24 bit $\Sigma-\Delta$ ADC (High resolution).
- ◆ Indication for A.C. On, Net/Gross weight, Zero, Battery, Battery low & count mode.
- ◆ Adjustable display intensity for longer battery back-up.
- ◆ Counting function, memory accumulation.

Model	Capacity	Accuracy	Platter Size
NEP-30 A	30 kg	2.0 g	320 x 320 mm
NEP-60 A	60 kg	5.0 g	400 x 400 mm
NEP-150 A	150 kg	10.0 g	450 x 450 mm
NEP-150 A	150 kg	10.0 g	600 x 450 mm
NEP-150 A	150 kg	10.0 g	600 x 600 mm
NEP-300 A	300 kg	20.0 g	600 x 600 mm
NEP-300 A	300 kg	20.0 g	750 x 750 mm
NEP-600 A	600 kg	50.0 g	600 x 600 mm
NEP-600 A	600 kg	50.0 g	750 x 750 mm
NEP-600 A	600 kg	50.0 g	900 x 900 mm
NEP-1000 A	1000 kg	100.0 g	750 x 750 mm
NEP-1000 A	1000 kg	100.0 g	900 x 900 mm
NEP-2000 A	2000 kg	200.0 g	1250 x 1250 mm
NEP-5000 A	5000 kg	500.0 g	1500 x 1500 mm

- ◆ Multi-interval instruments (dual accuracy scales) also available in all platform models.
- ◆ Platform scales of different platter sizes and capacities can be supplied as per customer's requirement.

Platform Scale : NEP SERIES

Special Applications



Wireless Indicator (Without Load Cell Wire) :

Wireless indicator can be placed at a distance (upto 50 meters) from platform. Usefull in Steel Yards, APMC Markets, etc. Wireless Indicator can further have wireless extra display or wired extra display.



Check Weigher with 3 LED Indications :

Application : Packing : Its unique Visual and Audio indications help users pack accurately and speedily without getting fatigue. Check Weighing : To verify and sort out the pre-packed commodities on weight basis.



Indicator with LCD Display (21 mm) with Backlight :

It provides clear visibility / readability in bright outdoor day light as well as in low light indoor conditions. Its user-friendly backlight ON/OFF feature provides power saving & longer battery back-up.



Indicator with USB Host Port :

This unique feature allows to save data of 2000 batches with Date & Time in memory and this can be transferred to Pen-Drive. The data on Pen Drive can be accessed in Excel on PC for further data processing.



Inbuilt Printer :

Indicator with thermal In-built Printer provides printed slips in various formats.



Price Computing/Piece Counting :

Platform Scales with Price Computing or Piece counting features.



Indicator with Large LED Display (20mm) :

It provides better readability and attractive looks.



Wireless Indicator with Radio Frequencyy :

Wireless extra display can be placed at a distance of upto 50 meters from main Indicator. Multiple wireless displays can be paired with a single indicator.

Platform Scale : NEP SERIES

ACCESSORIES :



IR Remote Control



Detachable Extra Display



Adaptor Box with Battery



Wall mounting stand for Indicator



(500 mm L x 162 mm H x 33 mm W)

Display Size : 81 mm (height)




Indicator with Solar Panel



Solar Panel with Stand

ACCESSORIES

- ◆ Bright Green/Blue LED display.
- ◆ IR Remote Control.
- ◆ Detachable extra display at 5 meters.
- ◆ 6 V, 4 AH rechargeable SMF battery.
- ◆ Computer / Printer Interface (RS-232 C).
- ◆ Jumbo Display (wired or wireless).
- ◆ Tripole Stand.
- ◆ USB Port (for computer interface).
- ◆ Wall mounting stand for indicator.
- ◆ Solar Panel (either mounted on indicator or with separate stand)
- ◆ Real Time Clock.
- ◆ 7.4 V, 1.5 AH Li-Ion battery with charger.
- ◆ Adaptor Box with rechargeable battery.
- ◆ Epoxy coated PCBs to provide hermetic sealing for corrosive environment.



NITIRAJ ENGINEERS LTD.

CIN : L31909MH1999PLC119231

Corp. Office : J-25, J-26, M.I.D.C., Awdhan, DHULE - 424006 (M.S.) INDIA.

Tel. : +91-2562-295181, 295281

E-mail : response@nitiraj.net

Website : www.nitiraj.net

Specifications are subject to change without prior notice.